

DUTY GEAR WILL FIT CHARTS
Part 4 Concealment Holsters with and without Lights-Pistols

Revised: 4/19/19



PT 4 Concealment with & without Lights - Pistols

	BBL.	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
AMT	BBL.	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
Hardballer	5.00"				53				53					53							
Beretta	BBL.	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
92/96 Vertec M9A1	4.70"								49		450			73	73		73	73	73	73	
92/96 Vertec w/ Light Rail N/A for Double Action Bobbed Hammer	4.70"								49								73	73	73	73	
92 Brigadier D	4.90"												73								
92 Brigadier FS	4.90"								53				73	73							
92 Brigadier	4.90"								49				73		73						
92 D	4.90"								53		450	73	73	173	73	73	73	73	73	73	73
92 DM	4.30"								53					173							
92 DS	4.90"								53				73	173							
92 F	4.90"								53		450	73	73	73	73	73	73	73	73	73	73
92 FC	4.30"								51					73							
92 FCM	4.30"								51				73	73							
92 FS	4.90"								53		450	73	73	73	73	73	73	73	73	73	73
92 FS Centurion	4.30"								51		450			73			73	73	73	73	73
92 G	4.90"								53					73	73						
96	4.90"								53		450			73							
96 Brigadier D	4.90"								53					173							
96 Brigadier G	4.90"								53					73							
96 Brigadier	4.90"													73							
96 Centurion	4.30"								51					73							
96 D	4.90"								53					173	73						
96 DC	4.30"								51					173							
96 DS	4.90"								53					173							
96 DS Brigadier D	4.90"								53					173							
96 F 96 FS	4.90"													73							
96 G	4.90"								53					73	73						
96 G SD	4.90"													73							
Cougar 8000, 8040 Cougar D DAO	3.60"								54					171							
Cougar 8000, 8040 Cougar F, D	3.60"								54					71							
Cougar 8045 F	3.60"													71							
PX4 Storm 9mm & .40 DAO Only	4.00"															181					
PX4 Storm 9mm & .40 DASA Only	4.00"				77				744					180	180	180					
PX4 Storm .45ACP	4.00"													185	185						
APX 9/40	4.25"										750			673	673						
With Lights	BBL.	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
92 F, 92 FS, 92 Brigadier w/ Surefire P116	4.90"													736							
92 F w/ Surefire MR-11 adapter & Surefire X200 or X300	4.90"													73421							
92 Sure-Fire Nitrolon Light P116C, P116D, P116 NOTE: Retention is reduced by removal of light	4.90"													736							
Vertec 92 FS, 96 w/ M3, M6 or M3 LED IT Tactical Illuminator Light, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, Streamlight TLR-1, TLR-2, or Insight XTI Procyon	4.70"													73421							
PX4 Storm with ITI M3, M6, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, Insight XTI Procyon, TLR-1, TLR-2, Surefire X200 or X300 lights	4.00"													18021							
APX 9/40 W/ M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U light	4.25"														6732						
Browning	BBL.	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
BDM 9mm	4.73"								53												76
High Power 9mm	4.66"								53					76							76

DUTY GEAR WILL FIT CHARTS
Part 4 Concealment Holsters with and without Lights-Pistols

Revised: 4/19/19

	BBL.	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	1051	5196/ 5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
Hi Power 9mm (Canadian Version)	4.60"													376							76
Canik	BBL.	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
TP9SF	4.46								83		83										
TP9SF Elite	4.19								83		83										
TP9SA	4.47								83		83										
Caracal	BBL.	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
C	3.50"								83												
F	4.10"								83	283	283										
Caspian with Lights	BBL.	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
1911 w/ Military Mount with Beamshot Model 8800	5.00"													5322							
Colt	BBL.	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
Combat Elite	5.00"				53				53		683		53	53							53
Combat Target	5.00"										683			53							53
Commander	4.25"		54		53				51		83		51			52					51
Delta Elite	5.00"				53				53		683		53	53							53
Delta Gold Cup	5.00"				53				53		683		53	53							53
Gold Cup Nat'l Match	5.00"				53				53		683		53	53							53
Government 1911	5.00"		53		53		53		53		683		53	53	53	53					53
Mustang	2.75"																				
Officer's .45ACP	3.50"	51	51						54		283		54								54
With Lights	BBL.	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
1911-A1 Non Rail, w/ Surefire mount MR07, w/ Surefire X200 or X300 Light	5.00"													530							
CZ	BBL.	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
75, 85	4.50"								51					90							
75	4.50"										683										
75 P-01	3.80"								744					290							
75 SP01 Shadow	4.00"												490								
Shadow 2	4.89"												590								
P-07	3.80"										750				292						
P-09	4.53"										450				294						
RAMI	3.00"				183																
P10C	4.02"																	392	392	392	392
EAA	BBL.	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
Witness 9mm, 40SW, Sport 9mm, Sport 40SW	4.50"								51					90							
FN	BBL.	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
Five-Seven	4.80"								49					61							
Five-Seven MKII	4.80"													361							
FNP-9	4.00"				77				744					260							
FNP 45	4.50"								744		450			261							
FNS 9mm	4.00"								744	283	283		266	266	269	266					
FNS 40 SW	4.00"								744	283	283		266	266	266	266					
FNS 9mm & 40 SW	5.00"										683		267	267							
FNS 9mm Compact	3.60"									283	183										
FNS 40 SW Compact	3.60"									283	183										
FNX 9mm & 40 SW	4.00"								744				265	265							
FN 509	4.00"									283	283							270	270	270	270
With Lights	BBL.	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
Five-Seven w/ Tactical Illuminator light refire M3, M6, M3 LED or Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, Insight XTI Procyon N/A for M3X/M6X. Or Streamlight TLR-1 and TLR-2. NOTE: Retention is reduced by removal of light	4.80"							612						6121							

DUTY GEAR WILL FIT CHARTS
Part 4 Concealment Holsters with and without Lights-Pistols

Revised: 4/19/19

	BBL.	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	1051	5196/ 5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379
FNS 9mm & 40 S&W W/ M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL Surefire X200, X300, X300U, or WL1AA Light	4.00"															2662				
FNS 9mm & 40 S&W W/ M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, X300U, or WL1AA Light	5.00"															2672				
FN 509 W/ M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, X300U, or WL1AA Light	4.00"														2702					
Glock	BBL.	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379
17, 17C, 22, 22C, 31 (.357) All Gen	4.50"	83	83		83	83	83		83		83	283	83	83	83	83	835	835	835	835
17 & 22 Dual Mag release Gen1-4	4.50"	83									83			983	983					
19, 19C, 23, 23C, 25, 32, 45 All Gen	4.00"	283	283		283	283	283		54	283	283	283	283	283	283	283	2835	2835	2835	2835
19X	4.00"	283			283	283	283		54	283	283		283		283		2835	2835	2835	2835
19 & 23 Dual Mag release Gen1-4	4.00"	283								283	283									
20, 20C, 21, 21C Gen1-4	4.60"					383			83		83	383	383	383	383	383	383	383	383	383
21SF Gen1-4 w/ STD Glock Rails	4.60"								83				383	383	383	383	383	383	383	383
21SF Gen1-4 w/ Picatinny Rails	4.60"													383						
33, 28	3.50"				83				54			283	183	183		183				
26, 27 All Gen	3.50"	183	183		183				54	283	183		183	283		183	183			183
29, 30, 30S All Gen	3.78"								83	283	183	483			483	483	483	483	483	483
30S	3.77"								83	283	183		383		485	485	483	483	483	483
30SF	3.77"															483				
34 All Gen	5.32"								49		683							6835	6835	6835
34, 35 Gen1-4	5.32"												683		683	683		6835	6835	6835
36	3.75"								54					283						
37	4.50"								49		83			783	783	783				
38	4.00"								83	283	283					783				
39	3.38"								744	283	183					883				
41 Gen4	5.31"								49		683									
42	3.25"			894	894								894				895			895
43, 43X	3.39"	895	895	895	895					895	895		895				895			895
48	4.17"								54											
With Lights	BBL.	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379
17, 22, 31 All Gen w/ ITI Streamlight M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	4.50"							832						832	832	832	832	832	832	832
17, 22 All Gen W/ Streamlight TLR-7, Surefire XC-1, XC-2, Nightstick TCM 550, or Inforce APLc	4.50"																	8327	8327	8327
17, 22 All Gen w/ Surefire X200, X300, or X300U with Pressure Switch NOTE: Retention is reduced by removal of light	4.50"																	8302	8302	8302
17, 22 All Gen W/ Surefire X300, or X300U with Pressure Switch NOTE: Retention is reduced by removal of light	4.50"													8301						
17, 22, 19, 23 All Gen with SureFire, X200, X300, X400, X400U, or X400V Light	4.50"													8314						
17, 22 All Gen W/ Surefire XC-1 or XC-2	4.50"							8324												
17, 22 Gen1-4 w/ ITI M3, M6, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, TLR-2, Surefire X200, X300, X300U, LAS-TAC 2, or Insight XTI Procyon	4.50"																			
17, 22, 31 Gen1-4 w/ Glock Tactical Light Systems: GTL 10 (light only), GTL21, GTL22 (light laser combo), GTL51 (light/laser combination), GTL52 (light/laser with dim-switch) NOTE: Retention is reduced by removal of light	4.50"														8310	8310				
17, 22 Gen1-4 w/ Surefire X200 or X300	4.50"													836						
17, 22, 31 Gen1-4 with Beamshot Model 8000 or Model 8100	4.50"													8312						
17, 22, 31 Gen1-4 with ITI M3X or M6X	4.50"													8312						

DUTY GEAR WILL FIT CHARTS
Part 4 Concealment Holsters with and without Lights-Pistols

Revised: 4/19/19

	BBL.	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	1051	5196/ 5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
17, 22, 31 Gen1-4 W/ ITI M3, M3X, M6, M6X, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, Streamlight TLR-1, TLR-1HL, TLR-2 or TLR-2HL NOTE: Retention is reduced by removal of light	4.50"													8321	8321						
17, 22 Gen1-4 with the Oerlikon Contraves LLM-01 Module with Filter	4.50"													8341							
17, 22 Gen1-4 Dual Magazine Release and Glock GTL10 Light	4.50"													9832							
17, 22 Gen1-4 Dual Magazine Release and Glock GTL10 Light, GTL 21, GTL 22 Light/Laser Combo	4.50"													98310							
19, 23, 19X, 45 All Gen W/ ITI Streamlight M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	4.00"							2832							2832	2832	2832	2832	2832	2832	2832
19, 23, 19X, 45 All Gen W/ Streamlight TLR-7, Surefire XC-1, XC-2, Nightstick TCM 550, or Inforce APLc	4.00"																28327	28327	28327	28327	
19, 23, 19X, 45 All Gen W/ Surefire X300, or X300U with Pressure Switch NOTE: Retention is reduced by removal of light	4.00"														28301						
19, 23, 19X, 45 All Gen W/ ITI M3, M3X, M6, M6X, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, Streamlight TLR-1, TLR-1HL, TLR-2 or TLR-2HL NOTE: Retention is reduced by removal of light	4.00"													8321	28321						
19, 23, 19X, 45 All Gen W/ Surefire XC-1 or XC-2	4.00"							28324													
19, 19C, 23, 23C Gen1-4 w/ Surefire X200 or X300	4.00"							2832						2830							
19, 23 Gen1-4 w/ Glock Tactical Light Systems: GTL 10 (light only) Note: N/A: for Glock light system GTL21, GTL22 (light laser combo) NOTE: Retention is reduced by removal of light	4.00"														28310						
20, 21, 29, and 37 Gen1-4 w/ STD Glock Rails w/ ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	4.60"															3832	3832	3832	3832	3832	3832
20, 21 Gen1-4 W/ Streamlight TLR-7, Surefire XC-1, XC-2, Nightstick TCM 550, or Inforce APLc	4.60"																38327	38327	38327	38327	
20, 21 Gen1-4 w/ STD Glock Rails w/ ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Enforce APL, Surefire X200, X300, X300U	4.60"														3832	3832					
20, 21 Gen1-4 w/ STD Glock Rails with Surefire X200 light or X300 NOTE: Retention is reduced by removal of light	4.60"													3830							
20, 21 Gen1-4 w/ STD Glock Rails w/Laser/Tac 2 (6v) from Laser Device Inc. Or Streamlight TLR-1 and TLR-2	4.50"													38321							
20, 20C, 21, 21C Gen1-4 w/Streamlight M3, M6, M3 LED or Insight XTI Procyon; NOTE: Retention is reduced by removal of light	4.60"													38321							
20 & 21SF Gen1-4 with Dual Magazine Release with ITI M3, M6, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, TLR-2, or Insight XTI Procyon	4.50"													938321							
29, 30 All Gen W/ Streamlight TLR-7, Surefire XC-1, XC-2, Nightstick TCM 550, or Inforce APLc	3.78"																48327	48327	48327	48327	
34 All Gen	5.32"													6832							
34, 35 Gen1-4 with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Enforce APL, SureFire X200, X300, or X300U	5.32"															6832	832	832	832	832	
34, 35 Gen1-4 w/ ITI Streamlight M3 or Insight XTI Procyon NOTE: Retention is reduced by removal of light	5.32"													6832							
34, 35 Gen1-4 w/ IT Tactical Illuminator Light M3, M6 or M3 LED, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-2, or Insight XTI Procyon Note: N/A for M3X/M6X. NOTE: Retention is reduced by removal of light.	5.32"													68321							

DUTY GEAR WILL FIT CHARTS
Part 4 Concealment Holsters with and without Lights-Pistols

Revised: 4/19/19

	BBL.	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	1051	5196/ 5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
37 with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Inforce APL, Surefire X200, X300, X300U, or Insight XTI Procyon	4.50"														7832	7832					
37 with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, X300U or Insight XTI Procyon	4.50"													7832							
41 Gen4 with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U lights	5.31"														8932		832	832	832	832	
43 with TLR-6	3.39"															89518					89518
Heckler & Koch	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
P7 M8	4.10"													82							
P7 M13	4.10"													82							
P10	3.80"												295								
P30 DAO	3.78"				295	391	391			283	283		295	295	295	295	295	295	295	295	295
P30L	4.45"															395	395	395	395	395	395
P2000	3.50"				295	391			744		283	97			97	97	197	197	197	197	197
P2000 European Version w/light mount frame	3.50"				295				744						97			197	197	197	197
P2000 European Version and US Version w/light mount frame	3.50"				295				744						97			197	197	197	197
US Version P2000 DAO (bobbed hammer)	3.50"				295	391			744	283	283					97		197	197	197	197
US Version P2000 DA/SA	3.50"				295	391				283	283							397	397	397	197
US Version P2000 SK DAO (bobbed hammer)	3.25"				295				744	283	283										
P2000SK	3.33"								744	283	183										
P2000	3.66"				295				744	283	283										
USP 9, 40	4.25"					391			83	283	283			93	91	91					
USP 9, 40 with Rubber Spurred Hammer (holsters with a manufacture date of 2308 and after)	4.25"					391				283	283				91						
USP9C, 40C	3.58"					391	391		54	283	283	291		291		291	291	291	291	291	291
USP 9 Compact/P10 (Non-US Version)	3.80"					391	391								391	391	391	391	391	391	391
USP45	4.53"					391			83					93							
USP45 Compact .45ACP	3.80"					391								293							
USP40 Expert	5.20"													96							
USP45 Expert	5.20"								49					96							
HK .45	4.25"								83		83			393		395					
HK .45 Compact	3.90"									283	283					295					
VP9	4.09"				295	391			744	283	283		593	593	593	593	593	593	593	593	593
VP40	4.09"										83										
With Lights	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
USP 45 LEM with Bobbed Hammer w/Surefire X200 light adapter with Surefire X200 light or X300 NOTE: Retention is reduced by removal of light	4.41"													1930							
USP 9, 40 Cocked and locked w/B & T Adapter and IT Tactical light M3, M6, M3 LED, or Insight XTI Procyon. NOTE: Retention is reduced by removal of light	4.25"													9221							
USP 9, 40 D.A.O. w/Surefire mount w/ Insight Technology M3X or M6X light or ITI SSL-1. NOTE: Retention is reduced by removal of light	4.25"													19312							
USP 9, USP .40 with Spurred Hammer and Surefire Mount MR09, and ITI M3, M6, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, TLR-2, Surefire X200, X300, X300U or Insight XTI Procyon	4.13"													9321							
USP 9C and .40C with TLR-3	3.58"														29116						
HK USP 40C Insight Technology M3, M6, M3X LED Tactical Illuminator Light, ITI SSL-1, or Insight XTI Procyon Bobbed Hammer Only Note: N/A for M6X NOTE: Retention is reduced by removal of light	3.58"													29111							
USP .45 with Spurred Hammer and Surefire Mount MR09, and ITI M3, M6, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, TLR-2, Surefire X200, X300, X300U or Insight XTI Procyon	4.41"													9321							

DUTY GEAR WILL FIT CHARTS
Part 4 Concealment Holsters with and without Lights-Pistols

Revised: 4/19/19

	BBL.	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	1051	5196/ 5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
P2000 (U.S. Version) w/ ITI M3/M6 or Insight XTI Procyon	3.50"													9711							
P2000 DAO (bobbed Hammer) with B&T adaptor and a Glock Light System: Models: GTL 10 (light only), GTL21 (light/laser combination),GTL22 (light/laser combination),GTL51(light/laser combination), GTL52(light /laser with dim-switch)	3.50"													9710							
P2000 European Version with B & T adapter (TL P2000) with M3/M6 IT tactical illuminator light, ITI SSL-1, or Insight XTI Procyon NOTE: Retention is reduced by removal of light	3.50"													9721							
H&K P30 with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Enforce APL, Surefire X200, X300, or X300U	3.85"							2952							2952	2952					
H&K P30 with Surefire XC-1 or XC-2	3.85"							29524													
H&K P30L with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Enforce APL, Surefire X200, X300, or X300U	4.45"													3952	3952	3952					
P30L with ITI M3X or M6X Light	4.44"													39512							
VP9 with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	4.09"							5932							5932						
VP9 with XC-1	4.09"														59322						
Kahr	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
E9, K9, K40	3.50"								54												
P380	2.50"				189																
PM9	3.00"				186																
CT9	3.80"								54												
CT380	3.50"				189																
CW9	3.00"								54												
S9	3.50"								54												
ST9	4.00"				54				54												
Kimber	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
KIP45CUS	5.00"				53				53		683		53	53							53
1911	5.00"										683		53		53	53					53
Pro Carry 1911	4.00"															52					
Gold Combat RL II, Warrior (w/light rail)	5.00"								53		683			56	56	56					53
With Lights	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
1911 w/ rails: Gold Combat RL; Custom TLE/RL w/ Enforce APL, Surefire X200 light or X300 NOTE: Retention is reduced by removal of light	5.00"													5340	560						
Magnum Research	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
Baby Desert Eagle II	4.00"								49												
Para Ordnance	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
P12.45 LDA	3.50"								54												51
P14.45 LDA	5.00"				53				53				53	53							53
P16.40 LDA	5.00"																				53
P18.9 LDA	5.00"				53				53				53	53							53
P7.45 LDA	5.00"				53				53				53	53							53
Carry .45ACP	3.00"								54												
Companion .45ACP	3.50"								54												51
OPS 1911	3.50"								54		683										51
P13.45	4.25"				53				51												54
P14.45	5.00"				53				53				53	53							53
P16.40	5.00"				53				53				53	53							53
P18.9	5.00"				53				53				53	53							53
PRX1445	5.00"								49					56	56						53
Todd Jarrett 1911	5.00"								53					53	53	53					53
Ruger	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	

DUTY GEAR WILL FIT CHARTS
Part 4 Concealment Holsters with and without Lights-Pistols

Revised: 4/19/19

	BBL.	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	1051	5196/ 5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
KP89	4.50"								83												
KP89DAO	4.50"								83												
KP89DC	4.50"								83												
KP90	4.50"								49												
KP91DAO	4.50"								49												
KP91DC	4.50"								49												
KP93	3.88"								744												
P345	4.00"								83												
P85	4.50"								83												
P89	4.50"								83												
P89DC	4.50"								83												
9E	4.14"									283	283										
P90.45CAL.	4.50"								49												
P91DC	4.50"								49												
P95D, KP95D	4.25"								744												
P95DAO, KP95DAO	4.25"								744												
LC9	3.12"	184	184		184								184				184				184
LC9S	3.12"	184	184		184								184				184				184
LC380	3.12"	184	184		184												184				184
LCP .380	2.75"				188																
LCP .380 with Crimson Trace	2.75"				1881																
SR9	4.00"								54												
SR9C	3.3.8"				83				54												
SR1911	5.00"																				53
American 9mm and .40 S&W	4.20"										83								167	167	167
American .45 ACP	4.50"										683								168	168	168
Security 9	4.00"	283			283	283			83		283										
SAR Arms	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
SARK2	4.5"																				
Sig Sauer	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
P220 before gun serial number (G158180),P226 before serial gun number (365426)	4.41"		77		77				744			77	477	77	77	77					
P220R DAK P220R DASA Bobbed or Spurred Hammer	4.41"		77						744				477								
P220R Compact	3.75"		77						744					74							
P220R, P226R	4.41"		77			774	774						477								
P226R / P220R / P226 / MK25 9MM/.40CAL / P227R3 .45	4.41																		477	477	477
P226 DAO, P220 DAO	4.41"		77		77				83	283	450			77							
P226	4.41"		77							283	450										
P226 X-Five	5.00"								49												
P220R DAK, P226R DAK	4.41"		77								450	477		277	477	477					
P220R DASA, P226R DASA Spurred hammer	4.41"		77								450	477			477	477					
P220ST Stainless Steel P220R, P220S, P226R , P226S, P226SO with Accessory Rails	4.41"		77								450			77							
P224 9mm	3.50"								744												
P226R MK25	4.25"		77						49		450			77		477					
P226R DAK P226R DASA Bobbed or Spurred Hammer	4.41"		77						49		450										
P226 after S/N 365426 (wide trigger guard)	4.41"		77								450										
P226R Elite	4.41"		77						49		450									477	
P225	3.90"				77				54	283	750	79		74	79	79					
P227 (Note: Holster MFR after 29NOV13, however older models will fit but the SLS hood rubs against the weapon's hammer)	4.40"		77						49				477	77	477	477					
P227R3 .45	3.78"		77						744								477	477	477	477	
P228	3.90"		74		77				54		750	74		74	74	74	447	447	447	447	
SIG P229R / P229 .40 CAL .357	3.90"		74														447	447	447	447	
SIG P229R DAK/ P229R E2 9MM	3.90"		74														474	474	474	474	
P229	3.90"		74		77				54		750	74		74	74	74					
P229 Elite	3.90"		74		77				54		750	74									
P229 R E2	3.90"										750										
P229R DASA spurred hammer w/ light rails	3.90"					744			744			744		74	744	744					
P229R DAK bobbed hammer w/ light rails	3.90"					744			744		750	744		174	744	744					
P239 (will only fit 9mm as of manufactured date 4603)	3.63"								54					75							

DUTY GEAR WILL FIT CHARTS
Part 4 Concealment Holsters with and without Lights-Pistols

Revised: 4/19/19

	BBL.	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	1051	5196/ 5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
P239 .40 & .357	3.63"		75						54					75		754					
P239 9mm	3.63"														75	75					
P245	3.90"								83												
P250 Full Size 9mm, .40, .45	4.70"					450									450	450	450	450	450	450	450
P320 9mm, .40	4.70"	450				450			49		450		450		450	450	450	450	450	450	450
P320 X-Full or X-Vtac	4.70"																450	450	450	450	450
P320 .45 ACP	4.50"																451	451	451	451	451
P320 X-Five	5.00"												452								
P250 Compact 9mm, .40	3.88"	750				750			49					750	750	750	750	750	750	750	750
P320C (Carry and Compact) 9mm, .40	3.90"	750				750			744		750		750		750	750	750	750	750	750	750
P320SCR 9mm	3.50"								744		750				750	750	750	750	750	750	750
P320SC (No Rails) 9mm	3.50"								744		750				750	750	750	750	750	750	750
P320C (Compact and Carry) .45 ACP	3.90"																751	751	751	751	751
P320 X-Carry	3.90"																752	752	752	752	752
P938	3.00"			194																	
P365	3.10"		365	894	894												365	365	365	365	365
SIGPro SP2340, 2009	3.88"													78							
SIGPro SPC2009 - w light mount rails	3.50"								744					278							
P2022 spurred hammer	3.87"		278			278					750		278	278	278	278	278	278	278	278	278
P2022R-w standard light mount rail	3.87"		278			278			744		750		278				278	278	278	278	278
Sig Arms GSR Revolution 1911	5.00"								53					256							53
With Lights	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
P220R W/ ITI Streamlight M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	4.41"																7702	7702	7702	7702	
P226R W/ ITI Streamlight M3, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	4.41"							7742									4772	4772	4772	4772	
P226R, P227 w/ Streamlight TLR-2, TLR-2HL	4.41"							77421													
P220R, P226R DASA/ DAK W/ M3, M6 ITI Tactical Illuminator Light, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, TLR-2, Surefire X200, X300, X300U, LAS-TAC 2, or Insight XTI Procyon	4.41"															7742					
Sig P220R DAK, P226R DAK with ITI M3, M6, ITI SSL-1, Insight XTI Procyon, or Streamlight TLR-1, TLR-2. NOTE: Retention is reduced by removal of light	4.41"													27721							
P220R, P220S P226S, P226SO, P226R (DASA Spurred Hammer) w/M3, M6 Light, Streamlight TLR-1, TLR-2, or Insight XTI Procyon.	4.41"													77421							
P220R, P226R (DASA Spurred Hammer) w/Insight Technology Streamlight M3X or M6X Light or Surefire X400 light NOTE: Retention is reduced by removal of light	4.41"													77412							
P220SO, P220ST, P220R, P226R (DASA Spurred Hammer) w/Sure Fire X200 or X300 light NOTE: Retention is reduced by removal of light	4.41"													7740							
P220, P226 with Beamshot Model 8000 or Model 8100	4.41"													7712							
P220, P226 with IT Mount and Insight Technology M3X, M6X. NOTE: Retention is reduced by removal of light	4.41"													7712							
P220R P226R (DASA Spurred Hammer) w/Laser/Tactical 2 (6v) from Laser Device Inc. Insight Technology Mount (ITI), Streamlight Tactical Illuminator Light Model M3, M6, M3 LED, or Insight XTI Procyon.	4.41"													77421							
P226 (full size hammer) with Insight Technology Mount (ITI), Streamlight Tactical Illuminator Light Model M3, M6, M3 LED, Streamlight TLR-1, TLR-2 or Insight XTI Procyon. NOTE: Retention is reduced by removal of light.	4.41"													7721							
P226 w/Sure-Fire NITROLON P113, P113C, P113D & P114, P114C, P114D NOTE: Retention is reduced by removal of light	4.41"													778							
P226 MK25 with X300 or X300 Ultra light	4.41"													7740							
P226R X-Five with Surefire X200 or X300 light	5.00"													3770							

DUTY GEAR WILL FIT CHARTS
Part 4 Concealment Holsters with and without Lights-Pistols

Revised: 4/19/19

	BBL.	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	1051	5196/ 5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379
P227 with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U (Note: Holster MFR after 29NOV13, however older models will fit but the SLS hood rubs against the weapon's hammer)	4.40"															7742				
P227 W/ITI Streamlight M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	4.40"																6772	6772	6772	6772
P228,P229 with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, M3, M6, M3 LED light or Insight XTI Procyon with ITI mount. Or Streamlight TLR-1 and TLR-2.	3.90"													7421						
P229R DASA (Spurred Hammer) with accy rails with M3, M6, M3 LED light, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, Streamlight TLR-1, TLR-1HL, TLR-2, or Insight XTI Procyon. NOTE: Retention is reduced by removal of light	3.90"													74421						
P229 R DAK with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, Light Rails; Bobbed Hammer with IT Tactical Illuminator Light M3, M6, M3 LED, Streamlight TLR-1, TLR-2 or Insight XTI Procyon. NOTE: Retention is reduced by removal of light	3.90"													17421						
P229R DAK Bobbed Hammer w/ Insight Technology M3X or M6X light. NOTE: Retention is reduced by removal of light	3.90"													17412						
P229R DASA w/Spurred Hammer w/Surefire X200 or X300 Light NOTE: Retention is reduced by removal of light	3.90"													7440						
P229R with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, X300U	3.90"														7442	7442				
P229R .40 S&W W/ITI Streamlight M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	3.90"																4472	4472	4472	4472
P229R 9mm W/ITI Streamlight M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	3.90"																4742	4742	4742	4742
P320 9/40, X-Full, or X-Vtac with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, or X300U lights	4.70"							4502									4502	4502	4502	4502
P320 .45 ACP with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, or X300U lights	4.70"							4512									4512	4512	4512	4512
P320 9/40, X-Full, or X-Vtac W/ Streamlight TLR-7, Surefire XC-1, XC-2, Nightstick TCM 550, or Inforce APLc	4.70"																45027	45027	45027	45027
P320 Compact and Carry 9mm and .40 S&W with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, or X300U lights	3.90"							7502									7502	7502	7502	7502
P320 Compact and Carry 9mm and .40 S&W W/ Streamlight TLR-7, Surefire XC-1, XC-2, Nightstick TCM 550, or Inforce APLc	3.90"																75027	75027	75027	75027
P320 Compact and Carry .45 ACP with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, or X300U lights	3.90"							7512									7512	7512	7512	7512
P320 X-Carry ACP with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, or X300U lights	3.90"																7522	7522	7522	7522
Sig Pro SPC 2009 w/Sig metal rail adaptor and IT streamlight M3 tactical illuminator light or Insight XTI Procyon NOTE: Retention is reduced by removal of light	3.50"													2782						

DUTY GEAR WILL FIT CHARTS
Part 4 Concealment Holsters with and without Lights-Pistols

Revised: 4/19/19

	BBL.	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	1051	5196/ 5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
Sig Pro P2022 with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, Insight Technology M3, M6 or M3 LED Tactical Illuminator light, ITI SSL-1, Streamlight TLR-1, TLR-1HL, TLR-2, or Insight XT1 Procyon. NOTE: Retention is reduced by removal of light	3.50"													27821							
1911 GSR w/ ITI M3, M6, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, Streamlight TLR-1, TLR-1HL, TLR-2, Surefire X200, X300, X300U, SSL-1 or Insight XT1 Procyon. NOTE: Retention is reduced by removal of light	5.00"													25621							
Smith & Wesson	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
39	4.00"				83				83												
59	4.00"				83				83												
410	4.00"								83												
411	4.00"								83												
439	4.00"				83				83												
457	4.00"								83												
459	4.00"				83				83												
469	3.50"				83				54	283	283										
639	4.00"				83				83												
645	5.00"								53					210							
659	4.00"				83				83												
669	3.50"				83				54												
908	3.50"								54												
909	4.00"								83												
910	4.00"								83												
915	4.00"								83												
1006	5.00"								53					210							
1026	5.00"								53					210							
1046	5.00"								53												
1066	4.25"								83												
1076	4.25"								83												
1086	4.25"								83												
3904	4.00"				83				83												
3906	4.00"				83				83												
3913	3.50"				83				54												
3913LS	3.50"				83																
3913NL	3.50"				83																
3913TSW w/o light mount	3.50"								54												
3914LS	3.50"				83																
3953	3.50"								54												
3953/3954	3.50"								54					321		320					
4003TSW, 4006TSW (manufacturing date of 4603), 4043TSW, 4046TSW(with rails)	4.00"								744												
4006TSW w/ Picatinny Rails, 4006TSW W/STD Rails BOBBED HAMMER ONLY	4.00"													141							
4006	4.00"				83				83					140							
4013	3.50"				83				54												
4013TSW, 4053TSW (with rails)	3.50"																				
4013TSW w/o light mount	3.50"								54												
4026	4.00"				83				83												
4043	4.00"													140							
4046	4.00"				83				83					140							
4053	3.50"				83				54												
4053TSW w/o light mount	3.50"								54												
4056TSW w/o light mount	3.50"								54												
4506-1	5.00"								53					210							
4506	5.00"								53					210							
4513TSW w/ Light Rails	3.50"								744												
4516-1 Ver.II.4516-2	3.75"				83				54												
4526	5.00"								53					210							
4536	3.75"				83				54												
4546	5.00"								53												

DUTY GEAR WILL FIT CHARTS
Part 4 Concealment Holsters with and without Lights-Pistols

Revised: 4/19/19

	BBL.	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	1051	5196/ 5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
4553TSW w/o light mount	3.50"								54												
4556	3.75"				83				54		450										
4563TSW, 4566TSW, 4583TSW, 4586TSW (with rails)	4.25"													210							
4566	4.25"								83												
4576	4.25"								83												
4586	4.25"								83					210							
5903	4.00"				83				83					140							
5903TSW, 5906TSW (manufacturing date of 4603), 5943TSW, 5946TSW (with rails)	4.00"				83				83					140							
5904	4.00"				83				83					140							
5906 lgrtriggrd	4.00"								83		450										
5906 shrtriggrd	4.00"				83				83		450			140							
5923	4.00"				83				83												
5924	4.00"				83				83												
5926	4.00"				83				83												
5943 shrtriggrd	4.00"								83					140							
5944 shrtriggrd	4.00"								83					140							
5946 lgrtriggrd	4.00"				83				83							320					
5946 shrtriggrd	4.00"				83				83					140		320					
5946 & 5943 DAO without Rails	4.00"															320					
6904	3.50"				83				54												
6906 lgrtriggrd	3.50"								54												
6906 shrtriggrd	3.50"								54												
6924	3.50"				83				54												
6926	3.50"				83				54												
6944 shrtriggrd	3.50"				83				54												
6946 lgrtriggrd	3.50"				83				54							320					
6946 shrtriggrd	3.50"				83				54							320					
Bodyguard .380	2.75"		194																		
Chiefs Special CS40	3.25"								54												
Chiefs Special CS45	3.25"								54												
Chiefs Special CS9	3.00"								54												
Sigma 40, 9mm	4.50"								83					40							
Sigma 9C, 40C, 40V, 9V, 9E	4.00"								83					40							
Sigma SD9VE, 40VE	4.00"									283	283		40								
Sigma 9F,40F	4.50"								83	283	83			40							
SW99 9mm & .40	4.00"					391			744	283	283	84		84	84	84					
SW99 45ACP	4.25"													86							
M&P 2.0 9 without thumb safety	4.25"	219	219		83	219	219		219	283	83	222	219	219	222	222	222	222	219	222	222
M&P 2.0 .40 without thumb safety	4.25"	219	219		83	219	219		219	283	83	219	219	219	219	219	219	219	219	219	219
M&P 2.0 9 with or without thumb safety	5.00"	219									683		819	819	818			818	819	818	818
M&P 2.0 .40 with or without thumb safety	5.00"	219									683		819	819	819			819	819	819	819
M&P 2.0 9 Compact without thumb safety	4.00"	219	219		83	219	219		219	283	83	222	219	219	222	222	222	219	222	219	222
M&P 2.0 .40 Compact without thumb safety	4.00"	219	219		83	219	219		219	283	83	219	219	219	219	219	219	219	219	219	219
M&P 2.0 45 without thumb safety	4.60"				83				83	283	283			519	419	419	419	419	419	419	419
M&P 2.0 45 with or without thumb safety	4.60"								83	283	283			519	519	519	419	419	419	419	419
M&P 22 LR	4.25"									283	83				219	219					
M&P 9 & 40 without thumb safety	4.25"	219	219		83	219	219		83	283	83	219	219	219	219	219	219	219	219	219	219
M&P 9 & 40 with thumb safety	4.25"	219								283	83			619			219	219	219	219	219
M&P 9C & 40C without thumb safety	3.38"	319	319		83	319	319		83	283	183		319	719	219	319					
M&P 9C & 40C with thumb safety	3.38"	319	319							283	183										
M&P 9L & 40L without thumb safety	5.00"									283	683						819	819	819	819	819
M&P 9L M&P 9 Pro without thumb safety	5.00"										683		819	819	819		819	819	819	819	819
M&P 9L M&P 9 Pro with thumb safety	5.00"										683		819		820						
M&P 9 Shield 1.0 and 2.0	3.10"	179	179		179				54	179	179		179			179	179				179
M&P 40 Shield 1.0 and 2.0	3.10"	179	179							179	179		179								179
M&P 45 Shield	3.30"									179	179										
M&P 45 without thumb safety	4.60"				83				83	283	283			519	419	419	419	419	419	419	419
M&P 45 with or without thumb safety	4.60"								83	283	283			519	519	519	419	419	419	419	419
M&P 45C without thumb safety	4.00"									283	183				919	919					
M&P 45C with thumb safety	4.00"									283	183				920	920					
1911	5.00"				53				53		683				53	53					53
1911 w/Tactical Rails	5.00"								53		683				56	56					53

DUTY GEAR WILL FIT CHARTS
Part 4 Concealment Holsters with and without Lights-Pistols

Revised: 4/19/19

	BBL.	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	1051	5196/ 5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
With Lights	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
4566TSW w/Picatunny Rails and ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, X300U or Insight XTI Procyon light	4.25"														4302						
M&P 2.0 9 & 40 with SureFire X200, X300	4.25"							2192						2190							
M&P 2.0 9 & 40 W/ M3 or M6, ITI TRL-1 or TRL-2, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S	4.25"													21921							
M&P 2.0 9 with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	4.25"							2192							2222	2222	2222	2192	2222	2222	2222
M&P 2.0 40 with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	4.25"							2192							2192	2192	2192	2192	2192	2192	2192
M&P 2.0 9 with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	5.00"																8182	8182	8182	8182	8182
M&P 2.0 40 with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	5.00"																8192	8192	8192	8192	8192
M&P 2.0 9 Compact with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	4.00"														2222	2222	2222	2192	2222	2222	
M&P 2.0 40 Compact with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	4.00"														2192	2192	2192	2192	2192	2192	
M&P 45 2.0 without thumb safety with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, X300U, or Insight XTI Procyon lights	4.60"														4192	4192	4192	4192	4192	4192	4192
M&P 45 2.0 with or without thumb safety with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, X300U, or Insight XTI Procyon lights	4.60"														5192	5192	4192	4192	4192	4192	4192
M&P Shield 9 & 40 1.0 or 2.0 with Crimson Trace Laserguard Pro or TLR-6	3.10"																				17918
M&P 9 & 40 W/ M3 or M6, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI TRL-1 or TRL-2	4.25"													21921							
M&P 9 & 40 w/ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	4.25"							2192							2192	2192	2192	2192	2192	2192	2192
M&P 9 & 40 with XC-1	4.25"																21922	21922	21922	21922	21922
M&P 9 & 40 with SureFire X200, X300	4.25"							2192						2190							
M&P 9 & 40 with SureFire X400 Ultra	4.25"													21914							
M&P 9L, M&P 9 Pro with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Inforce APL Surefire X200, X300, or X300U	5.00"																8192	8192	8192	8192	8192
M&P 45 without thumb safety with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, X300U, or Insight XTI Procyon lights	4.60"														4192	4192	4192	4192	4192	4192	4192
M&P 45 with or without thumb safety with ITI M3, M6, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, TLR-2, Surefire X200, X300, X300U, LAS-TAC 2 or Insight XTI Procyon lights	4.60"													51921							
M&P 45 with or without thumb safety with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, X300U, or Insight XTI Procyon lights	4.60"														5192	5192	4192	4192	4192	4192	4192
M&P 45C without thumb safety W/ ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	4.00"														9192	9192					

DUTY GEAR WILL FIT CHARTS
Part 4 Concealment Holsters with and without Lights-Pistols

Revised: 4/19/19

	BBL.	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	1051	5196/ 5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379
M&P 45C with thumb safety W/ ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, SureFire X200, X300, X300U	4.00"														9202	9202				
1911 w/Tactical Rails with Surefire X200 or X300 lights	5.00"														560					
Sphinx	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379
SDP Standard	4.50"														281					
SDP-S WLI-AA with laser	4.50"														28115	28115				
SDP Compact	3.70"															282				
SDP Subcompact	3.13"				285							285				285				
3000 cocked and locked or with hammer down	3.75"													182						
3000 cocked and locked or with hammer down	4.50"								49					182						
With Lights	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379
SDP Standard w/ W400U	4.50"													28114						
Springfield Armory	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379
Model1911-A1	5.00"				53				53		683		53	53	53	53				53
Operator1911	5.00"								53		683			56	56	56				53
XD 9mm, .40, and .45	4.00"										450									
XD MOD2 9, .40	4.00"								744		750		48	148	148	148				
XD 9mm, .40, .45 and .357	4.00"								744		450		48	148	148	148				
XD 9mm, .40, .45 and .357	5.00"								49		450		49	149	149	149				
XD MOD2 9mm, .40, .45 and .357	5.00"								49		450		49	149	149	149				
XD 9mm & .40 Subcompact	3.00"		47								750									
XD (M) 9mm	3.80"													148		148				
XD(M) 9mm & .40	4.50"					146			49		450		49	149	149	149				
XD(M) .40	4.50"		47			146			49		450		49	149	146	146				
XD(M) 9mm	4.50"		47			146			49		450		49	149	145	145				
XD(M) 45	4.50"								49		450		49		146					
XD(M) 45	5.25"								49		450		147							
XD(M) 9mm & 40	4.50"										450									
XD(M) 9mm & 40	5.25"										450		49							
XD(M) 9mm	5.25"										450		147							
XD-S	3.30"	45	45		45					895	895		45					45		45
XD-S	4.00"																			
XD-E	3.30"										183									
911	2.75"				188															
With Lights	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379
1911 Operator w/Laser/Tac 2 (6v) from Laser Device Inc. Or Streamlight TLR-1 and TLR-2, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S	5.00"													5621						
1911-A1 Non Rail, w/Surefire mount MR07, w/Surefire x200 Light or X300	5.00"													530						
Operator 1911-A1 w/ M3, M6, M3 LED StreamLight or Insight XTO Procyon Light.	5.00"													5621						
Operator 1911-A1 w/ M6X or M3X StreamLight or ITI SSL-1	5.00"													5612						
Operator 1911-A1 with Surefire X200 or X300 light	5.00"														560					
XD 9mm, .40, .45 w/ITI M3, M6, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, TLR-2, Surefire X200, X300, X300U, LAS-TAC 2 or Insight XTI Procyon light NOTE: Retention is reduced by removal of light	4.00"													14821						
XD 40 & 45 with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, X300U or Insight XTI Procyon lights NOTE: Retention is reduced by removal of light	4.00"														1482					
XD 9mm with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, X300U or Insight XTI Procyon lights NOTE: Retention is reduced by removal of light	4.00"														462					

	BBL.	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	1051	5196/ 5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
XD 9mm, .40, .45 w/ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, TLR-2, Surefire X200, X300, X300U, or Insight XTI Procyon NOTE: Retention is reduced by removal of light	5.00"													14921							
XD 9mm, .40, .45 w/ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, X300U or Insight XTI Procyon NOTE: Retention is reduced by removal of light	5.00"														1492						
XD MOD2 9mm, .40, .45 w/ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, X300U or Insight XTI Procyon NOTE: Retention is reduced by removal of light	5.00"													14921	1492						
XD MOD2 9, .40 w/ITI M3, M6, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, TLR-2, Surefire X200, X300, X300U, or Insight XTI Procyon NOTE: Retention is reduced by removal of light	4.00"													14821							
XD(M) .40 with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	4.00"														1462						
XD(M) 9mm with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, X300U or Insight XTI Procyon lights NOTE: Retention is reduced by removal of light	4.50"														1452						
XD(M) 40 with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, X300U, or Insight XTI Procyon lights NOTE: Retention is reduced by removal of light	4.50"														1462						
XD(M) 9mm & .40 with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, M6, TLR-1, TLR-1HL, TLR-2, Surefire X200, X300, X300U, LAS-TAC 2, or Insight XTI Procyon lights	4.50"													14921							
XD(M) .45 with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, M6, TLR-1, TLR-1HL, TLR-2, Surefire X200, X300, X300U, LAS-TAC 2, or Insight XTI Procyon lights	4.50"														1462						
Steyr	BBL.	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
M40A1	4.00"								744												
STI/SVI	BBL.	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
1911 with rails	5.00"								53		683			56		56					53
1911 without rails	5.00"				53				53		683		53		53						53
2011 with Full Size Dust Cover	5.00"												850								53
2011 with Short Dust Cover	5.00"												851								53
2011 with Short Dust Cover	6.00"												852								
STI Tactical	5.00"								53					56							53
GP6	4.25"								83												51
GP5 9mm	3.58"								744												
DVS 3-GUN	5.40"										683										
With Lights	BBL.	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
1911 w/rails: STI 2011 Tactical 5, 2011 Tactical Lite 5, 1911 Duty One w/Surefire X200 or X300 light NOTE: Retention is reduced by removal of light	5.00"													5340							
STI 2011 Tactical 5 w/ Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, M3, M6, M3 LED StreamLight, TLR-1, TLR-1HL, TLR-2, or Insight XTI Procyon	5.00"																				
Stinger	BBL.	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
S-200														164							
Tangfolio	BBL.	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	

DUTY GEAR WILL FIT CHARTS
Part 4 Concealment Holsters with and without Lights-Pistols

Revised: 4/19/19

	BBL.	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	1051	5196/ 5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
Force	3.66"													262							
Force Full Size	4.45"													362							
Witness	4.50"									283	283										
Witness P Full Size	4.50"									283	283										
Witness P Compact	3.60"									283	183										
Taser International	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
Advanced Taser M26														63							
X26														64							
X3														163							
Taurus	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
24/7 w/accy rails	4.00"								83	283	283			40							
PT92, PT99C	5.00"								53												
PT99	5.00"								53												
PT99C	4.00"								51												
PT92C	4.00"								51												
PT100	5.00"																175	175	175	175	
PT840	4.00"									283	83				268						
PT809	4.00"									283	83				268						
PT845	4.00"									283	83										
PT111 G2	3.20"								54		183		172								
Spectrum	2.80"			188																	
Walther	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
CCP	3.54"								54	283	283										
PPS	3.20"									283	183										
P5	3.50"								54				87	87							
P99	4.00"					391			54	283	283	84		84	84	84					
P99Q/PPQ (2008 & newer)	4.00"					391	384			283	283		384	384	384	384	384	384	384	384	384
P99, P99Q PPQ, PPQ M2 9mm, .40 S&W	5.00"										683						385	385	385	385	
P99Q/PPQ M2 (2008 & newer)	4.00"					391	384			283	283										
P99Q/PPQ M2 .45 cal	4.00"								744		750										
P99QA	4.00"									283	283			84	84						
P99C QA	3.50"									283	183	84		84	284	84					
P99 2008 Version	4.00"									283	283					384					
Q5 Match Ploymer Frame	5.00"												385								
With Lights	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
P99Q/PPQ (2008 & newer) with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, X300U or Insight XTI Procyon lights	4.00"							3842								3842					
P99Q/PPQ (2008 & newer) with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, X300U or Insight XTI Procyon lights	5.00"														3852						
Wilson	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
1911 CQB w/light rail	5.00"								744												53
1911	4.88"								53				53	53							53
With Lights	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
1911 w/rails: CQB w/Surefire X200 light or X300 NOTE: Retention is reduced by removal of light	5.00"													5340	560						

Although Safariland has attempted to provide accurate information regarding which specific holster models were designed to accommodate specifically identified handguns, human error such as typographical mistakes can and do occur. Therefore, Safariland disclaims any responsibility or liability for, or the consequences resulting from, such errors and urges and user of this information to personally check for holster/handgun compatibility using the actual product.