



Holster Selection Guide

Hip	Vertical Shoulder	Vertical Shoulder/Scoped	Bandolier	Ambidextrous Hip	Hip-Thumb Break	Paddle	Super Belt Slide	Pro-Pak® Horizontal	Pro-Pak® Vertical	Pro-Pak® Undercover	Cross-Harness Horizontal	Inside-the-Pant Retention	Inside-the-Pant Open	Ankle
-----	-------------------	--------------------------	-----------	------------------	-----------------	--------	------------------	---------------------	-------------------	---------------------	--------------------------	---------------------------	----------------------	-------

Gun Make and Model		Barrel Length	Holster Size														
AMT	Autos	"Backup"	2½"	-	-	-	-	1	1	-	-	-	-	10	10		
		"Backup" .45	3"	-	-	-	16	16	16	16	-	16	16	16	16		
		Skipper	4¼"	15	15	-	-	19	19	19	15	15	15	15	15	-	
		Hardballer .45	5"	5	5	-	19	19	5	5	5	5	5	5	5	-	
		Hardballer .45 Longslide	7"	14	4	-	-	-	-	-	-	-	-	-	-	-	
		Lightning .22	5"	5	5	-	5	5	5	5	5	5	5	5	5	-	
		Lightning .22	6½"	14	4	-	4	-	-	-	-	-	-	-	-	-	
		Lightning .22	8½"	17	11	13	13	-	-	-	-	-	-	-	-	-	
		Lightning .22	10"	17	11	13	13	-	-	-	-	-	-	-	-	-	
		Automag II .22 WMR	3"	15	1	-	-	15	15	15	15	1	15	15	-	-	
		Automag II .22 WMR	4½"	5	5	-	-	5	5	5	5	5	5	5	-	-	
		Automag II .22 WMR	6"	14	6	-	-	-	-	-	-	-	-	-	-	-	
		ASTRA	Autos	Constable, Camper, Falcon	3½"-4"	1	1	-	-	1	1	1	1	1	1	1	1
				A-70, A-75	3½"	15	1	-	16	16	16	16	1	16	16	16	16
A-80, A-90, A-100	3¾"			15	1	-	15	15	15	15	1	15	15	15	15		
All Double Action	3"			0	0	-	-	0	0	0	0	0	0	0	0		
All Double Action	4"			2	2	-	-	2	2	2	2	2	2	2	2		
Revolvers	All Double Action		6"	3	3	3	3	-	3	-	-	-	-	-	-		
	All Double Action		8½"	4	4	4	4	-	-	-	-	-	-	-	-		
	Pitbull		3½"	15	1	-	16	16	16	16	1	16	16	16	16		
	General		4½"	15	15	-	-	19	19	19	15	15	15	15	15		
	1911 A1		5"	5	5	-	-	19	19	19	5	5	5	5	5		
BAUER	Autos	.22, .25 Cal.	2"	10	-	-	-	-	-	-	10	-	10	10			
		BERETTA	Autos	20, 21, 950 Series, Bobcat Jetfire, Minx	2½"	10	-	-	-	-	-	10	-	10	10		
		Tomcat		2½"	10	-	-	-	-	-	-	-	10	10			
		34, 70S, 70SP, 81, 82, 82B, 84, 84B, 84F, 85, 85B, 85F, 86, 87, 90, Puma, Jaguar	3½"-3¾"	1	1	-	-	1	1	1	1	1	1	1			
		76P, 76W, 89	5"-6"	5	5	-	-	5	5	5	5	5	5	5			
		92, 92S, 92SB, 92D, 92F, 92G, 96, 96F, 92FS, Brigadier	5"	5	5	-	-	5	5	5	5	5	5	5			
		92FC, 92 & 96 Centurion, 92D & 96D Centurion	4¼"	15	15	-	-	15	15	15	15	15	15	15			
		92SBC, 92FM	4¼"	15	15	-	-	15	15	15	15	15	15	15			
		8000, 8040, 8045 Cougar, 9000	3½"	16	15	-	-	16	16	16	15	15	15	15			
		BDA .380	3¾"	1	1	-	-	1	1	1	1	1	1	1			
		Micro Buck Mark/Buck Mark Plus, Challenger, Nomad	4"-4½"	5	5	-	-	-	-	-	5	-	-	-			
		Hi-Power 9mm, .40	4½"	5	15	-	-	19	19	19	5	5	5	15			
		BDM 9mm, BPM-D, BRM-DOA	4¾"	-	15	-	-	15	15	15	15	15	15	15			
BROWNING	Autos	BDA 9mm .38 Super, .45 ACP	4½"	15	15	-	-	15	15	15	15	15	15				
		Buck Mark .22, Challenger, Nomad	5½"	6	6	-	-	-	-	-	-	-	-				
		Challenger, Nomad	6¾"	14	4	-	4	-	-	-	-	-	-				
		Buck Mark - Varmint	9½"	-	-	4	4	-	-	-	-	-	-				
		Buck Mark - Silhouette	9½"	-	11	4	4	-	-	-	-	-	-				
		Mustang, Mustang Plus II, Mustang Pocketlite	2¾"	1	-	-	1	-	1	1	-	1	10	10			
		Officers ACP .45, Double Eagle Officers .45, 1991 A1 Compact	3½"	15	1	-	-	16	16	16	16	1	16	16			
		380 Government Model, Gov't. Pocketlite, Pocket 9	3¾"	1	1	-	-	1	1	1	1	1	1	1			
		Challenger, Huntsman, Woodsman, Sport, Cadet	4½"	5	5	-	-	-	-	-	5	-	-	-			
		Commander, Combat Commander, Lightweight Commander, 1991 A1 Commander	4¼"	15	15	-	-	19	19	19	15	15	15	15			
COLT	Autos	Combat Elite, Delta Elite, Gov't. Model, Gold Cup, Combat Target, 1991 A1, 1911	5"	5	5	-	-	19	19	19	5	5	5				
		Huntsman, Targetsman, Woodsman, Challenger	6"	6	6	-	-	-	-	-	-	-	-				
		Agent, Cobra, Commando, Detective SPL, Lawman, DSII/38 SPF VI	2"-3"	0	0	-	-	0	0	0	0	0	0				
		Commando, Lawman, Official Police, Marshall, Metropolitan, King Cobra, Peacekeeper, Python, Three-Five-Seven, Trooper, Mark III	4"	2	2	-	-	2	2	2	2	2	2				
		Diamondback	4"	2	2	-	-	2	-	2	2	2	2				
		Officers Model, King Cobra Peacemaker, Official Police, Python, Three-Five-Seven, Trooper, Mark III	6"	3	3	3	3	-	3	-	-	-	-				
		Diamondback	6"	3	3	3	3	-	-	-	-	-	-				
		Anaconda, New Service	6"	3	3	3	3	-	-	-	-	-	-				
		Python, Trooper	8"	4	4	4	4	-	-	-	-	-	-				
		Anaconda, New Service	7½"-8"	4	4	4	4	-	-	-	-	-	-				
CZ	Autos	Frontier Scout, New Frontier, Peacemaker, Sgl. Act. Army	4¾"	7	3	3	3	-	-	-	-	-	-				
		New Frontier, Single Action Army, Peacemaker	5½"	8	4	4	4	-	-	-	-	-	-				
		New Frontier .22, Peacemaker, Single Action Army	7½"	9	4	4	4	-	-	-	-	-	-				
		CZ83	3½"	1	1	-	-	1	1	1	1	1	1				
		CZ75, CZ85	4¾"	15	-	-	5	-	15	5	5	5	15				
		EUROPEAN AMERICAN ARMORY (EAA)	Autos	European .22, .380, .32	3.2"	1	1	-	-	1	1	1	1	1	1		
				Witness Subcompact, FAB92	3.66"	15	1	-	-	16	16	16	16	16	16		
				Witness, Witness Sport, Witness Combo, FAB92	4.7"	5	15	-	-	5	15	5	5	5	15		
				Windicator	2"	0	0	-	-	0	0	0	0	0	0		
				Windicator	4"	2	2	-	-	2	2	2	2	2	2		
Windicator, Windicator Target	6"			3	3	3	3	-	-	-	-	-	-				
Small Bore Bounty Hunter, Big Bore Bounty Hunter	4¾"-5"			7	3	3	3	-	-	-	-	-	-				
Small Bore Bounty Hunter	6"			8	4	4	4	-	-	-	-	-	-				
Big Bore Bounty Hunter	7"			9	4	4	4	-	-	-	-	-	-				
Small Bore Bounty Hunter	9"			11	11	13	13	-	-	-	-	-	-				
FREEDOM ARMS	Revolvers	454 Casull	4¾"	7	3	3	3	-	-	-	-	-					
		454 Casull	7½"	9	4	4	4	-	-	-	-	-					
		454 Casull	10"	11	11	13	13	-	-	-	-	-					
GLOCK	Autos	19, 23, 32, 36	4"	16	15	-	-	16	21	21	16	16	16				
		17, 22, 31	4½"	15	15	-	-	15	21	15	15	15	15				
		20, 21	4½"	15	15	-	-	15	21	21	15	15	15				
		29, 30	3¾"	-	-	-	-	16	21	16	16	16	16				
		26, 27, 33, G28	3¼"	12	-	-	-	16	16	12	16	16	12				
		34, 35	5¼"	-	-	-	-	5	-	-	-	-	-				



How to use the Sidekick Holster Guide:

- Look up the brand of your handgun, then the particular model and the barrel length.
- Numbers listed under each style of holster indicate the size of the holster you should buy.
- Note this chart does NOT contain fit information for Side Bet, Baby Bet, Belly Band/Body Armor, Briefcase, Kydex, or Inside-the-Pocket holsters. See holster descriptions.


Hip	Vertical Shoulder	Vertical Shoulder/Scooped	Bandolier	Ambidextrous Hip	Hip-Thumb Break	Paddle	Super Belt Slide	Pro-Pak® Horizontal	Pro-Pak® Vertical	Pro-Pak® Undercover	Cross-Harness Horizontal	Inside-the-Pant Retention	Inside-the-Pant Open	Ankle
-----	-------------------	---------------------------	-----------	------------------	-----------------	--------	------------------	---------------------	-------------------	---------------------	--------------------------	---------------------------	----------------------	-------

Gun Make and Model		Barrel Length	Holster Size																
HK	Autos	P7, P7M8, P7M10, P7M13	4"	12	1	-	-	16	16	1	16	16	16	16	16	16	16	16	
		USP 9mm, .40, .45	4¼"	15	-	-	-	-	15	15	30	15	15	15	15	15	15	15	
		USP Connect	3½"	16	15	-	-	16	15	15	30	16	15	16	16	16	16	16	
		P2000V2	3½"	15	-	-	-	16	-	15	30	15	15	15	-	-	-	-	
HARRINGTON & RICHARDSON	Revolvers	504, 525, 532, 622, 632, 642, 732, 733, 826, 829, 830, 832, 833, 900, 901, 922, 925, 929, 930, 970	2½"-3"	0	0	-	-	-	0	0	0	0	-	0	0	0	0	-	
		504, 525, 532, 586, 622, 642, 686, 732, 733, 900, 901, 904, 905, 922, 925, 926, 929, 930, 980, 999	4"-4½"	2	2	-	-	2	2	2	2	2	2	2	2	2	2	2	-
		504, 586, 603, 604, 649, 650, 686, 900, 901, 903, 904, 922, 929, 930, 939, 940, 950, 999	5"-6"	3	3	3	3	-	3	-	-	-	-	-	-	-	-	-	-
		586, 649, 686, Plus Other Double Action	7"-8"	4	4	4	4	-	-	-	-	-	-	-	-	-	-	-	
		586, 686	10"	11	11	13	13	-	-	-	-	-	-	-	-	-	-	-	
		9mm compact, .380 Compact	3½"	16	-	-	-	16	16	16	16	15	15	15	-	16	16	16	
		9mm, .40, .45	4½"	-	-	-	-	-	5	5	5	5	5	5	-	5	5	-	
		Duramatic, Field King, Sport King, Olympic, Plinker	4½"	5	5	-	-	5	5	5	5	5	5	5	5	5	5	5	
HS AMERICA	Autos	Duramatic, Field King, Sport King, Supermatic, Plinker	6½"-6¾"	6	6	-	-	-	-	-	-	-	-	-	-	-	-		
		HS 2000	4"	16	-	-	-	16	16	15	15	5	5	5	5	5	5		
KAHR	Autos	K9, P9 9mm, K40	3½"	12	-	-	-	16	16	1	16	16	-	16	16	16	16		
		PMK .380, SMC .380	4"	1	1	-	-	1	1	1	1	1	1	1	1	1	1		
KBI	Autos	PJK-9HP	4½"	5	5	-	-	5	5	5	5	5	5	5	5	5	5		
		PSP 25	2"	10	-	-	-	-	-	-	-	-	10	-	10	10	10		
KEL-TEC	Autos	P-11 9mm, P-32, P-40	3.1"	15	-	-	-	16	16	16	12	16	15	16	16	16	12		
		Custom, Royal, Stainless, Gold Match, Stainless Gold Match, Gold Combat, Gold Combat Stainless Steel, Super Match, Custom CDP	5"	5	5	-	-	-	19	19	19	5	5	5	5	5	5	-	
LES BAER LLAMA	Autos	Compact, Compact Stainless Steel, Compact Aluminum	4¼"	15	15	-	-	-	19	19	19	15	15	15	15	15	15	-	
		Stainless Steel, Pro Carry, Stainless Steel Pro Carry, Pro Carry HD, Compact CDP, Pro CDP	3½"	15	1	-	-	16	16	16	16	1	16	16	16	16	16		
		Ultra Carry, Stainless Steel Ultra Carry, Ultra CDP	3½"	15	1	-	-	16	16	16	16	1	16	16	16	16	16		
	Autos	S.R.P	5"	5	5	-	-	-	19	19	19	5	5	5	5	5	5		
		XV, XA, 111A, MicroMax, Plus Other Small Frame Autos	3"-4"	1	1	-	-	1	1	1	1	1	1	1	1	1	1		
	Revolvers	MiniMax, MiniMax II	3½"	1	-	-	-	16	16	16	16	1	16	1	16	16	16		
		1XA, VIII, XI, Omni, Plus Other Large Frame Autos	4"-5"	5	5	-	-	5	5	5	5	5	5	5	5	5	5		
		Martial, Commanche Series, Plus Other Large Frame	4"	2	2	-	-	2	2	2	2	2	2	2	2	2	2		
		Martial, Commanche Series, Super Commanche	6"	3	3	3	3	-	3	-	-	-	-	-	-	-	-		
		Super Commanche	8½"	4	4	4	4	-	-	-	-	-	-	-	-	-	-		
	LUGER	Autos	Luger 9mm, Luger .22 (Stoeger)	4"-5"	5	5	-	-	5	5	5	5	5	5	5	5	5	5	
Makarov 9x18mm			3.7"	1	1	-	-	1	1	1	1	16	1	16	1	1	-		
MAKAROV MITCHELL	Revolvers	All Single Action	4"-5"	7	3	3	3	-	-	-	-	-	-	-	-	-	-		
		All Single Action	5½"-6½"	8	4	4	4	-	-	-	-	-	-	-	-	-	-		
NEW ENGLAND FIREARMS	Revolvers	All Single Action	6½"-7½"	9	4	4	4	-	-	-	-	-	-	-	-	-	-		
		.22 LR, .32 H & R Mag.	2½"	0	0	-	-	0	0	0	0	0	0	0	0	0	0		
		.22 LR, .32 H & R Mag.	4"	2	2	-	-	2	2	2	2	2	2	2	2	2	2		
PARA ORDNANCE	Autos	P12 .45, OPS Companion	3½"	15	1	-	-	16	16	16	16	1	16	16	16	16	16		
		P13 .45, LTC Tac S	4¼"	15	15	-	-	-	19	19	19	15	15	15	15	15	15		
		P14 .45, P16	5"	5	5	-	-	5	19	19	19	5	5	5	5	5	-		
		LDA, SSP	5"	5	5	-	-	5	19	19	19	5	5	5	5	5	5		
PHOENIX ARMS	Autos	HP22, HP25, Raven	2½"	10	-	-	-	-	-	-	-	-	-	-	-	-	10		
		P-25	2½"	10	-	-	-	-	-	-	-	-	10	-	10	10	10		
REMINGTON	Single Shot	XP-100	10"	-	13	13	13	-	-	-	-	-	-	-	-	-			
ROSSI	Revolvers	68, 88	2"	36	0	-	-	36	36	36	36	36	-	36	36	36	36		
		All Double Action	2"-3"	0	0	-	-	0	0	0	0	0	0	0	0	0	0		
		All Double Action	4"	2	2	-	-	2	2	2	2	2	2	2	2	2	2		
		All Double Action	6"	3	3	3	3	-	3	-	-	-	-	-	-	-	-		
		All Double Action	10¾"	11	11	13	13	-	-	-	-	-	-	-	-	-	-		
		RUGER	Autos	P85, P89, P90, P91, P93, P94, P95, P97, KP90, KP93, KP94	4"-4½"	15	15	-	-	15	15	15	15	15	15	15	15	5	5
				KP97	4"	15	-	-	-	15	15	15	15	15	15	15	15	15	15
				KP345	4¼"	15	-	-	-	15	15	15	15	15	15	-	15	15	-
				P345PR, KP345PR, KP345DPR	4¾"	15	15	15	15	15	15	15	15	15	15	15	15	15	15
				Mark I, Mark II	4¾"	5	6	-	-	-	-	-	-	-	-	-	-	-	-
				Mark I, Mark II, Mark II Target Bull Barrel, 22/45	5½"-6"	6	6	-	-	-	-	-	-	-	-	-	-	-	-
Mark II Target	6¾"			14	4	4	4	-	-	-	-	-	-	-	-	-	-		
Mark II Target	10½"			17	11	13	13	-	-	-	-	-	-	-	-	-	-		
Revolvers	Security Six, Service Six, Speed Six, SP 101			2¾"-3"	0	0	-	-	-	0	0	0	0	0	0	0	0	0	
	SP 101 (except spurless hammer)			2"	36	0	-	-	36	36	36	36	36	-	36	36	36	36	
	Security Six, Service Six, Speed Six, GP 100			4"	2	2	-	-	2	2	2	2	2	2	2	2	2	2	
	Security Six, Service Six, Speed Six, GP 100	6"	3	3	3	3	-	3	-	-	-	-	-	-	-	-			
	Redhawk	5½"	3	3	3	3	-	-	-	-	-	-	-	-	-	-			
	Redhawk	7½"	4	4	4	4	-	-	-	-	-	-	-	-	-	-			
	Sup. Redhawk	6"	-	3	3	3	-	-	-	-	-	-	-	-	-	-			
	Sup. Redhawk	7½"	-	4	4	4	-	-	-	-	-	-	-	-	-	-			
	Bikhawk, Sup. Sgl. Six, Vaquero	4.5"	7	3	3	3	-	-	-	-	-	-	-	-	-	-			
Savage Sig/Sauer	Handguns	Striker	9½"-10½"	11	11	13	13	-	-	-	-	-	-	-	-	-	-		
		P230, P232	3½"	1	1	-	-	1	1	1	1	1	1	1	1	1	1		
		P220, P226	4½"	15	15	-	-	15	15	15	15	15	15	15	15	15	15		
		P225, P228, P229, SP2340 .357, SP2009 9mm	3¾"	15	15	-	-	16	16	16	16	1	16	16	16	16	16		
		P239	3½"	16	15	-	-	16	16	16	16	-	16	16	16	16	16		
Savage Sig/Sauer	Autos	P245	3¾"	15	15	15	15	15	15	15	15	1	15	15	15	15			
		P220ST .45 CAL	4.4"	16	15	-	-	16	-	15	15	15	15	15	-	15	15		
		1911 GSR .45 CAL	5"	5	-	-	5	-	19	-	5	-	5	-	5	5			
		P226R	4.4"	16	15	15	15	-	15	15	15	15	15	15	15	15			
		P229R (DAK)	3.9"	16	15	-	-	16	-	15	15	15	15	15	-	16	16		




Holster Selection Guide

How Barrel Lengths are Measured



Autos are measured from the rear portion of the ejection port to the end of the barrel.



Revolvers are measured from the face of the cylinder to the end of the barrel.

Hip	Vertical Shoulder	Vertical Shoulder/Scoped	Bandolier	Ambidextrous Hip	Hip-Thumb Break	Paddle	Super Belt Slide	Pro-Pak® Horizontal	Pro-Pak® Vertical	Pro-Pak® Undercover	Cross-Harness Horizontal	Inside-the-Pant Retention	Inside-the-Pant Open	Ankle
-----	-------------------	--------------------------	-----------	------------------	-----------------	--------	------------------	---------------------	-------------------	---------------------	--------------------------	---------------------------	----------------------	-------

Gun Make and Model		Barrel Length	Holster Size																	
SMITH & WESSON	Autos	469, 669, 908, 3913, 3914, 3953, 3954, 4013, 4013TSW, 4053, 5903SSV, 5943SSV, 6904, 6906, 6944, 6946	3½"	15	1	-	-	16	16	16	16	16	16	16	16	16	16			
		39, 59, 410, 411, 439, 457, 457D, 459, 539, 559, 639, 659, 909, 910, 915, 3904, 3906, 4003, 4004, 4006, 4026, 4043, 4044, 4046, 4516, 4536, 4556, 5903, 5904, 5905, 5906, 5926, 5943, 5944, 5946, 5967 (All of these apply to TSW Variations)	3¾"-4"	15	15	-	-	15	15	15	15	15	15	15	15	15	15	15	15	
		1066, 1076, 1086, 4566, 4567, 4576, 4586	4¼"	15	15	-	-	15	15	15	15	15	15	15	15	15	15	15	15	
		645, 745, 1006, 4506, 4526	5"	5	5	-	-	5	5	5	5	5	5	5	5	5	5	5	5	
		1911.45	5"	5	5	-	-	5	19	19	19	5	5	5	5	5	5	5	5	
		2214	3"	1	1	-	-	1	1	1	1	1	1	1	1	1	1	1	1	
		Sigma — Full Size 9mm, .40, SW9E, SW9VE, SW40E, SW40VE	4¼"	15	15	-	-	15	15	15	15	15	15	15	15	15	15	15	15	
		Sigma — Compact 9mm, .40	4¼"	15	15	-	-	15	15	15	15	16	15	16	16	16	16	16	16	
		Sigma — Compact .380	3"	-	-	-	-	1	1	1	1	1	1	1	1	1	1	1	1	
		52	5"	5	5	-	-	5	5	5	5	5	5	5	5	5	5	5	5	
		422, 622, 2206, 22A	4"-4½"	5	5	-	-	5	5	5	5	5	5	5	5	5	5	5	5	
		41	5½"	5	5	-	-	5	5	-	5	-	-	-	-	-	-	-	-	
		422, 622, 2206	6"	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		41	7"	14	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		SW99	4"	15	15	-	-	15	15	30	15	15	15	15	15	15	15	15	15	
	SW 99/990L .45 CAL	4¼"	15	-	-	-	15	-	30	15	15	15	-	15	-	-	-	-		
	SW410	4"	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Revolvers	J Frames w/hammer spur 31, 34, 36, 37, 60, 317, 317LS	2"	36	0	-	-	36	36	36	36	36	-	36	36	36	36	36	0	
		331, 337, 632, 634, 637	2"	36	0	-	-	36	36	36	36	36	-	36	36	36	36	36	0	
		J Frames with shouldered or concealed hammers, incl.: 38, 40, 42, 49, 332, 342, 442, 631, 638, 640, 642, 649, 940	2"-2½"	-	-	-	-	-	-	40	-	-	-	-	-	-	-	36	-	
		J Frames w/hammer spur: 30, 31, 32, 34, 36, 37, 60, 317, 650	3"	0	0	-	-	0	0	0	0	0	-	0	-	-	-	-	-	
		J Frames with concealed hammers, incl.: 242, 640, 940	3"	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	
		All K Frames, incl.: 10, 12, 13, 15, 19, 64, 65, 66, 547	2"-3"	0	0	-	-	0	0	0	0	0	-	0	0	0	0	0	0	
		All J Frames, incl.: 30, 31, 34, 43, 51, 63, 651	4"	2	2	-	-	2	-	2	-	-	-	-	2	2	2	2	-	
		All K & L Frames, incl.: 10, 12, 13, 14, 15, 16, 17, 18, 19, 33, 48, 53, 64, 65, 66, 67, 547, 581, 586, 617, 681, 686, 686+, L Frame (7 shot)	4"	2	2	-	-	2	2	2	2	2	2	2	2	2	2	2	2	-
		All N Frames, incl.: 20, 21, 23, 24, 25, 27, 28, 29, 57, 58, 520, 625, 629, 657	3"-4"	2	2	-	-	2	-	2	-	2	-	-	-	-	-	-	-	
		All K & L Frames, incl.: 10, 14, 16, 17, 19, 48, 53, 66, 586, 686	6"	3	3	3	3	-	3	-	-	-	-	-	-	-	-	-	-	
		All N Frames, incl.: 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 625, 627, 629, 657	5"-6½"	3	3	3	3	-	-	-	-	-	-	-	-	-	-	-	-	
		All K, L & N Frames, incl.: 14, 17, 19, 20, 21, 22, 23, 24, 25, 26, 27, 29, 48, 53, 57, 586, 617, 629, 657, 686	8¾"	4	4	4	4	-	-	-	-	-	-	-	-	-	-	-	-	
		N Frame 29, 629	10½"	11	11	13	13	-	-	-	-	-	-	-	-	-	-	-	-	
X Frame 500, 460		8¾"	-	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
SPRINGFIELD ARMORY		Autos	Commander	4¼"	15	1	-	-	19	19	19	16	1	16	16	16	16	16	16	
	1911 A1, Defender, Omega		5"	5	5	-	-	19	19	19	5	5	5	5	5	5	5	5		
	P9		4¾"	5	5	-	-	5	15	15	5	5	5	5	5	5	5	5		
	P9 Compact		3¾"	15	1	-	-	16	16	16	16	16	1	16	16	16	16	16	16	
	XD Compact		3"	16	-	-	-	16	16	15	-	-	-	0	0	0	0	0		
	XD-9, XD-40, XD357		4"	15	-	-	-	15	15	5	5	5	5	15	16	16	16	16		
	XD-9 SUB		3"	16	-	-	-	16	16	15	-	-	-	-	-	-	-	-		
STAR	Autos	Ultrastar	2½"	15	15	-	-	16	16	16	16	1	16	16	16	16	16	16		
		BM, BKM, PD, 28, 30M, 31P	4"-4¼"	15	15	-	-	15	15	15	15	15	15	15	15	15	15	15		
		30 PK, Firestar 9mm, .40, Firestar Plus 9mm	3½"-3¾"	15	15	-	-	16	1	16	1	15	1	1	1	1	1	1		
		Firestar .45	4"	15	15	-	-	15	16	15	15	15	15	15	15	15	15	15		
STEYR	Autos	P88	4"	15	1	-	-	16	16	16	15	15	15	15	16	16	16	16		
		GB 9mm	5½"	5	5	-	-	5	5	5	5	5	5	5	5	5	5	5		
		M40, M9	4"	15	-	-	-	15	16	-	30	15	15	15	15	16	16	16		
		PT-22, PT-25	2¾"	10	-	-	-	-	-	-	-	-	10	-	10	10	10	10		
TAURUS	Autos	PT-908, PT-911, PT-938, PT940, PT-957	3¾"	15	15	-	-	16	16	16	16	1	16	16	16	16	16	16		
		PT-945	3.8"	15	15	-	-	15	15	15	15	15	-	15	15	15	15			
		PT-58	4"	15	15	-	-	15	15	15	15	16	15	16	16	16	16			
		24/7 .40 CAL	4"	15	-	-	-	15	15	15	15	15	15	15	15	15	15			
		PT-92C	4¾"	15	15	-	-	15	15	15	15	15	15	15	15	15	15			
		PT-92, PT-99, PT-100, PT-101	5"	5	5	-	-	5	5	5	5	5	5	5	5	5	5			
	Revolvers	PT-111, PT-138, PT-140, PT-145, PT-157	3¼"	15	-	-	-	16	16	16	12	16	15	16	16	16	12	12		
		85, 94, 941, 731	2"	36	0	-	-	36	36	36	36	36	-	36	36	36	36	0		
		85CH concealed hammer	2"	-	-	-	-	-	-	-	40	-	-	-	-	-	-	36		
		65, 66, 73, 74, 80, 82, 83, 415, 431, 441, 441, 445, 605, 606, 741, 817, 941	2"-3"	0	0	-	-	-	0	0	0	0	-	0	0	0	0	0		
		65, 66, 80, 82, 83, 84, 94, 425, 431, 441, 607, .44 Mag., 608, 627, 669, 689, 741, 827, 941	4"	2	2	-	-	2	2	2	2	2	2	2	2	2	2	2		
		66, 86, 96, 441, M44, 607 .44 Mag., 608, 689, 761	6"-6½"	3	3	3	3	-	3	-	-	-	-	-	-	-	-	-		
THOMPSON/CENTER	Single Shot	.44 Mag.	8¾"	4	4	4	4	-	-	-	-	-	-	-	-	-	-			
		Raging Bull .454	6½"	18	-	-	-	-	-	-	-	-	-	-	-	-	-			
		Raging Bull .454	8¾"	19	-	-	-	-	-	-	-	-	-	-	-	-	-			
		Contender	10"	-	12	4	4	-	-	-	-	-	-	-	-	-	-			
WALTHER	Autos	Contender Super "14"	14"	-	13	13	13	-	-	-	-	-	-	-	-	-	-			
		TPH22, TPH25	2½"	10	-	-	-	-	-	-	-	-	-	10	-	10	10			
		PP, PPK, PPK/S, PP Super	3¼"-3¾"	1	1	-	-	1	1	1	1	1	1	1	1	1	1			
		P99	4"	15	15	-	-	15	16	16	30	15	15	15	15	15	15			
		P38, P38IV	4½"-5"	5	5	-	-	5	5	5	5	5	5	5	5	5	5			
		P5	4½"	15	1	-	-	15	16	15	15	1	15	15	16	16	16			
		P22	3.4"	12	-	-	-	15	-	16	16	16	15	16	-	16	16			
P22	5"	5	-	-	-	5	-	5	5	5	5	5	5	5						